

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
		(protect\$ near2 cover\$) with construction	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/18 13:24
		("L4and"protect"and"cover"and"flap"and"adhesive").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/17 13:06
		S50 and "protect" and "cover" and "strip" and "adhesive:	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/13 13:49
		("s1and"strip"and"protect"and"cover"and"tarpaulin").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/13 11:19
S1	515	(52/3).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/13 11:23
S2	19	("3614154"   "3949527"   "4413029"   "4454807"   "4455790"   "4493248"   "4590715"   "4627333"   "4660337"   "4726286"   "4897970"   "5050924"   "5240756"   "5291698"   "5363605"   "5974740"   "RE32536").PN. OR ("6474022").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/13 11:01
S3	25	("0778620"   "1600749"   "1833095"   "1954554"   "2196704"   "2455237"   "3063062"   "3598133"   "3987592"   "4094021"   "4413029"   "5363605").PN. OR ("5974740").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/13 11:02
S4	19	("3614154"   "3949527"   "4413029"   "4454807"   "4455790"   "4493248"   "4590715"   "4627333"   "4660337"   "4726286"   "4897970"   "5050924"   "5240756"   "5291698"   "5363605"   "5974740"   "RE32536").PN. OR ("6474022").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/13 11:10
S5	5	("1871571"   "4413029").PN. OR ("5363605").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/13 11:12

S6	17	("2682274"   "2830606"   "3332177"   "3862876"   "4413029"   "4580372"   "5242206"   "5350000"   "5890525"   "5901504"   "D379081"   "D389451").PN. OR ("6363661").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/13 11:16
S7	515	(52/3).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/13 11:19
S8	15	S7 and "strip" and "protect" and "cover" and "tarpaulin"	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/13 11:19



S10	4090	S9 and "strip" or "stay" and "protect" and "cover" and "adhesive"	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/13 11:25
S11	15	S9 and "strip" and "protect" and "cover" and "adhesive"	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/13 11:57
S12	2	("6474022").URPN.	USPAT	OR	ON	2005/10/13 11:29
S13	19	("3614154"   "3949527"   "4413029"   "4454807"   "4455790"   "4493248"   "4590715"   "4627333"   "4660337"   "4726286"   "4897970"   "5050924"   "5240756"   "5291698"   "5363605"   "5974740"   "RE32536").PN. OR ("6474022"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/13 11:30
S14	17	("3614154"   "3949527"   "4413029"   "4454807"   "4455790"   "4493248"   "4590715"   "4627333"   "4660337"   "4726286"   "4897970"   "5050924"   "5240756"   "5291698"   "5363605"   "5974740"   "RE32536").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/13 11:30
S15	32	("0179976"   "0288251"   "0410387"   "0505354"   "0608042"   "0662801"   "1020169"   "1820040"   "3360884"   "3427790"   "3498305"   "3674139"   "3906591"   "4033367"   "4712672").PN. OR ("4891918"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/13 11:31
S16	26	("0179976"   "0288251"   "0410387"   "0505354"   "0608042"   "0662801"   "1020169"   "1820040"   "3360884"   "3427790"   "3498305"   "3674139"   "3906591"   "4033367"   "4712672").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/13 11:31

S17	44	("2506501"   "2717017"   "3044516"   "3385337"   "3429095"   "3488913"   "3618755"   "3653497"   "3750872"   "3783766"   "3815313"   "3815650"   "3820205"   "4095760"   "4247509"   "4598883"   "4606516").PN. OR ("4763783"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/13 11:32
S18	49	("0019689"   "0038871"   "0084453"   "1784115"   "1871101"   "1871570"   "1871571"   "2401997"   "2748047"   "2821764"   "3162920"   "3225408"   "3467351"   "3802027"   "3862876"   "3987592"   "4257200").PN. OR ("4682447"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/13 11:34
S19	84	("0325365"   "0691318"   "1544507"   "1583547"   "1622035"   "2565219"   "2613306"   "2623150"   "2883676"   "2943380"   "3637454").PN. OR ("3862876"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/13 11:37
S20	38	("1728437"   "4065889"   "4207633"   "4219218"   "4294483"   "4612967"   "4699192"   "4807922"   "4825889"   "4991363"   "5050925"   "5112098").PN. OR ("5242206").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/13 11:42
S21	19	("4569108"   "4858985"   "4931333"   "5242206"   "5275460"   "5287904"   "5325568"   "5401074"   "5492496"   "5516181"   "5664825"   "5839138"   "6038745"   "6070629"   "6123601"   "D375078"   "D377928").PN. OR ("6415832"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/13 11:44
S22	24	("3316012"   "5029933"   "5102183"   "5242206"   "5255765"   "5292167"   "5351733"   "5401074"   "D213549"   "D298615"   "D317283"   "D343813"   "D345122"   "D348242"   "D360181"   "D364846").PN. OR ("D393828").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/13 11:51

S23	10	("2599066"   "2614630"   "4974655"   "5037156"   "D335113").PN. OR ("D348242").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/13 11:53
S24	10	("4294483"   "4784215"   "5176421"   "5242206"   "5350000"   "5516181"   "5518289").PN. OR ("5941594").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/13 11:53
S25	26	("2926928"   "3172508"   "3236017"   "3319543"   "3460304"   "3487756"   "3784312"   "3840908"   "4266381"   "4599842"   "5050361"   "5325646").PN. OR ("5617677").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/13 12:10
S26	6	("5325646"   "5617677"   "5758467"   "5941027"   "6012259").PN. OR ("6151835").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/13 12:11
S27	8	("4283888").PN. OR ("4397122").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/13 12:21
S28	105	(52/5).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/13 12:22
S29	12	("3683428"   "4181986"   "4192025"   "4251889"   "4786205"   "5108225"   "5246308"   "5722098"   "5911662"   "5993112"   "6338169").PN. OR ("6517285").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/13 12:26
S30	565	(52/12).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/13 12:27
S31	11	S30 and "strip" and "cover" and "protect" and "adhesive"	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/13 12:32
S32	48	S30 and "protect" and "cover"	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/13 12:34
S33	451	(52/506.01).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/13 12:40
S34	12	S33 and "protect" and "cover" and "strip" and "adhesive"	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/13 12:44

S35	35	S33 and "protect" and "cover"	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/13 12:44
S36	20	("2210233"   "2618333"   "2749262"   "3017020"   "4263347"   "4889759"   "5328729"   "5356503"   "5364677"   "5407716"   "5413637"   "5569228"   "5640827"   "RE19128").PN. OR ("6355323").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/13 12:50
S37	188	52/dig.12	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/13 12:56
S38	6	S37 and "protect" and "cover" and "strip" and "adhesive"	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/13 13:00
S39	485	(52/506.05).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/13 13:01
S40	10	S39 and "protect" and "cover" and "strip" and "adhesive"	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/13 13:06
S41	393	(52/90.1).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/13 13:06
S42	7	S41 and "protect" and "cover" and "strip" and "adhesive"	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/13 13:07
S43	10	("3113434").URPN.	USPAT	OR	ON	2005/10/13 13:11
S44	0	("52.127.8").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/13 13:12
S45	84	(52/127.8).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/13 13:13
S46	1	S45 and "protect" and "cover" and "strip" and "adhesive"	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/13 13:13
S47	5	S45 and "protect" and "cover"	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/13 13:14
S48	285	(52/741.3).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/13 13:15
S49	10	S48 and "protect" and "cover" and "strip" and "adhesive"	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/13 13:21

S50	312	(52/746.1).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/13 13:48
S51	17	S50 and "protect" and "cover" and "strip" and "adhesive"	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/13 13:49
S52	74	("0939749"   "1178673"   "1244119"   "1665995"   "2791463"   "3403520"   "3419134"   "3611736"   "3736759"   "3771748"   "4036673").PN. OR ("4244156").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/13 13:54
S53	712	52/518	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/13 13:59
S54	38	S53 and "protect" and "cover" and "strip" and "adhesive"	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/13 14:00
S55	31	("1578663"   "2626577"   "3095671"   "3153069"   "3300927"   "3415029"   "3468086"   "3892899"   "4063395"   "4107885"   "4194335"   "4282697"   "4393634"   "4441295"   "4669246"   "4680909"   "4738067"   "4783942"   "4848057").PN. OR ("4965977").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/13 14:07
S56	1007	(52/408).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/13 14:07
S57	32	S56 and "protect" and "cover" and "strip" and "adhesive"	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/13 14:08
S58	3	((("2587985") or ("5342665"))).PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/13 14:26
S59	1	("20020073640").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/13 16:32
S60	1	("20040261346").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/14 11:41



S61	12	((("6357181") or ("6216399") or ("5775045") or ("5353858") or ("4768320") or ("4277527") or ("4234973") or ("3425889") or ("20030148071") or ("20030070391") or ("20020005029")).PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/14 11:44
S62	0	("2003/0148071").URPN.	USPAT	OR	ON	2005/10/14 11:49
S63	20	("0486459"   "2271143"   "2961255"   "3715843"   "4019304"   "4204372"   "4252461"   "4314774"   "4321774"   "4375929"   "4425744"   "4488386"   "4565468"   "4693042"   "5374133"   "5852899").PN. OR ("6216399").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/14 11:51
S64	20	("0486459"   "2271143"   "2961255"   "3715843"   "4019304"   "4204372"   "4252461"   "4314774"   "4321774"   "4375929"   "4425744"   "4488386"   "4565468"   "4693042"   "5374133"   "5852899").PN. OR ("6216399").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/14 16:23
S65	7	((("D171974") or ("D174795") or ("D179858") or ("D330536") or ("D339560") or ("D365544") or ("D423440")).PN.	USPAT	OR	OFF	2005/10/17 12:38
S66	6	("D179858").URPN.	USPAT	OR	ON	2005/10/17 12:43
S67	6	("D179858").URPN.	USPAT	OR	ON	2005/10/17 12:58
S68	1953	(428/40.1).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/17 17:21
S69	45	S68 and "protect" and "cover" and "flap" and "adhesive"	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/18 16:43
S70	1061	(428/194).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/17 13:42
S71	30	S70 and "protect" and "cover" and "adhesive" and "flap"	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/17 13:42
S72	28	("3024824"   "3185197"   "3623526").PN. OR ("4620396").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/17 13:51

S73	39	("3321068"   "3327419"   "3370818"   "3944069"   "4241833"   "4334612"   "4441639"   "4555018"   "4620396").PN. OR ("4682691").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/17 13:53
S74	11	("1871571"   "2720269"   "3804238"   "4195059"   "4590714"   "4682691"   "4956218"   "5083617").PN. OR ("5381900").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/17 14:18
S75	0	("2003/0175461").URPN.	USPAT	OR	ON	2005/10/17 14:24
S76	4	("4758456"   "5702127"   "5704648"   "6579585").PN. OR ("6926942").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/17 14:29
S77	4	("4758456"   "5702127"   "5704648"   "6579585").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/17 14:34
S78	0	(52/41.7).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/17 14:34
S79	521	(428/41.7).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/17 14:34
S80	2	("6361838"   "6461709").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/17 14:37
S81	0	("6878425").URPN.	USPAT	OR	ON	2005/10/17 14:38
S82	0	("6878425").URPN.	USPAT	OR	ON	2005/10/17 14:40
S83	10	S79 and "protect" and "cover" and "adhesive" and "flap"	USPAT	OR	ON	2005/10/17 14:40
S84	0	("2005/0025925").URPN.	USPAT	OR	ON	2005/10/17 15:17
S85	0	("2003/0186014").URPN.	USPAT	OR	ON	2005/10/17 15:56
S86	0	("2003/0118768").URPN.	USPAT	OR	ON	2005/10/17 16:15
S87	0	("2003/0077408").URPN.	USPAT	OR	ON	2005/10/17 16:43
S88	0	("2002/0164447").URPN.	USPAT	OR	ON	2005/10/17 17:00
S89	0	("2002/0071924").URPN.	USPAT	OR	ON	2005/10/17 17:09
S90	1461	S68 and "adhesive" and "paper"	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/17 17:21
S91	860	(52/478).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/18 10:22
S92	5	("4619100").URPN.	USPAT	OR	ON	2005/10/18 10:47
S93	1	("3239983").URPN.	USPAT	OR	ON	2005/10/18 11:00

S94	4	("2047655").URPN.	USPAT	OR	ON	2005/10/18 11:30
S95	15	S91 and "paper"	USPAT	OR	ON	2005/10/18 11:30
S96	42	("2782914"   "3559914"   "3969863"   "3983676"   "4047345"   "4047346"   "4058949"   "4068446"   "4075806"   "4075807"   "4078355"   "4117641"   "4147003"   "4213282"   "4222212"   "4263763"   "4346543"   "4446664"   "4449343"   "4573298"   "4651489"   "4656808"   "4726985"   "4736552"   "4967535"   "5058352").PN. OR ("5561959").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/18 11:33
S97	1	("6557313").URPN.	USPAT	OR	ON	2005/10/18 11:36
S98	19	("2239394"   "2330941"   "4726985"   "5157893"   "5491952"   "5495698"   "5515543"   "5551203"   "5561959"   "5626936"   "5770295"   "5826390"   "5918436"   "5953883"   "6067764"   "6128884"   "RE35603").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/18 11:37
S99	23	("2216206"   "2616529"   "2857630"   "2864324"   "3557840"   "3958385"   "4339902"   "4384437"   "4481746"   "4738072"   "4744186"   "4825089"   "4866905"   "4972644"   "5390720"   "5496357"   "5551203"   "5561959"   "5867956").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/18 11:40
S10 0	21	("0038931"   "0465364"   "1125414"   "1226888"   "1999244"   "4432183"   "5174092"   "5182892"   "5305570"   "D057865"   "D338541"   "D347287").PN. OR ("5519975").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/18 11:54
S10 1	11	("0147061"   "2510416"   "4065899"   "4279106"   "4432183"   "4514947"   "4574536"   "4899514"   "D282288").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/18 11:56

S10 2	16	("1163034"   "4437283"   "4445306"   "4662141"   "4712349"   "4718211"   "5060445"   "5161342"   "5197252").PN. OR ("5471807"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/18 11:58
S10 3	25	("3318744"   "3411256"   "3763614"   "3892899"   "4370374"   "4464215"   "4492064").PN. OR ("4712349"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/18 12:03
S10 4	841	(52/211).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/18 12:04
S10 5	11	S104 and "protect" and "cover" and "paper"	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/18 12:07
S10 6	57	S104 and "protect" and "cover"	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/18 12:09
S10 7	372	(52/716.1).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/18 12:26
S10 8	9	("2288470"   "3334456"   "4066285"   "4905431").PN. OR ("5461836").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/18 12:18
S10 9	38	S107 and "protect" and "cover"	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/18 12:28
S11 0	41	S107 and "paper"	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/18 12:45
S11 1	328	(52/717.01).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/18 12:56
S11 2	5	S111 and "paper" and "protect"	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/18 12:56
S11 3	21	S111 and "paper"	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/18 12:56
S11 4	5	("5222345").URPN.	USPAT	OR	ON	2005/10/18 12:57
S11 5	11	("0938768"   "1243903"   "4379376"   "4800699").PN. OR ("5222345").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/18 12:57
S11 6	6	("0938768"   "1243903"   "4379376"   "4800699").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/18 12:59

S11 7	130	(52/dig.12).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/18 13:00
S11 8	0	("6886299").URPN.	USPAT	OR	ON	2005/10/18 13:00
S11 9	56	("1106624"   "2237106"   "2465936"   "3001795"   "3480069"   "3805816"   "3862876"   "3922822"   "3949527"   "4259819"   "4283888"   "4290243"   "4432381"   "4487212"   "4590714"   "4730423"   "4848386"   "4858395"   "5076168"   "5174073"   "5197239"   "5201152"   "5226262"   "5319896"   "5347768"   "5394927"   "5406764"   "5435524"   "5502929"   "5522165"   "5522184"   "5531239"   "5535565"   "5579794"   "5687512"   "5791090"   "5799680"   "5862637"   "5915449"   "5966877"   "6076448"   "6088975"   "6161339"   "6176050"   "6212840"   "6226945"   "6230455"   "6298766"   "6325085"   "6412540"   "6453621").PN. OR ("6886299"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/18 13:00
S12 0	2	("6298766").URPN.	USPAT	OR	ON	2005/10/18 13:01
S12 1	25	("0339741"   "0641683"   "0986852"   "2191099"   "3107400"   "3107442"   "3148461"   "3226891"   "3800484"   "3899164"   "4432381").PN. OR ("5502929"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/18 13:04
S12 2	19	("0339741"   "0641683"   "0986852"   "2191099"   "3107400"   "3107442"   "3148461"   "3226891"   "3800484"   "3899164"   "4432381").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/18 13:06

S12 3	56	("1106624"   "2237106"   "2465936"   "3001795"   "3480069"   "3805816"   "3862876"   "3922822"   "3949527"   "4259819"   "4283888"   "4290243"   "4432381"   "4487212"   "4590714"   "4730423"   "4848386"   "4858395"   "5076168"   "5174073"   "5197239"   "5201152"   "5226262"   "5319896"   "5347768"   "5394927"   "5406764"   "5435524"   "5502929"   "5522165"   "5522184"   "5531239"   "5535565"   "5579794"   "5687512"   "5791090"   "5799680"   "5862637"   "5915449"   "5966877"   "6076448"   "6088975"   "6161339"   "6176050"   "6212840"   "6226945"   "6230455"   "6298766"   "6325085"   "6412540"   "6453621").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/18 13:07
S12 4	9	("3715843"   "3766958"   "3877525"   "4858395"   "5022452"   "5608992"   "5829200"   "5896907"   "6070640").PN. OR ("6742305"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/18 13:11
S12 5	4	("6070640").URPN.	USPAT	OR	ON	2005/10/18 13:14
S12 6	15	("2160118"   "3136356"   "3766958"   "3872927"   "3877525"   "3960216"   "4077474"   "4313485"   "4316345"   "5195594"   "5383510"   "5450890"   "5542463").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/18 13:20
S12 7	10	S117 and "paper"	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/18 16:22
S12 8	2638	(protect\$ near2 cover\$3) with construction	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/18 13:24
S12 9	634	(protect\$2 near2 cover\$3) with construction	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/18 13:24
S13 0	0	("2005/0133247").URPN.	USPAT	OR	ON	2005/10/18 13:28

S13 1	0	("3511009").URPN.	USPAT	OR	ON	2005/10/18 15:56
S13 2	28	S129 and paper	USPAT	OR	ON	2005/10/18 16:12
S13 3	177	(52/525).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/18 16:12
S13 4	4	S133 and "paper"	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/18 16:23
S13 5	67	S133 and "strip"	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/18 16:23
S13 6	1955	(428/40.1).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/18 16:44
S13 7	1476	S136 and "paper"	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/18 16:44
S13 8	0	("2004/0224116").URPN.	USPAT	OR	ON	2005/10/19 10:00



# **STIC Search Report**

**EIC 3600**

**STIC Database Tracking Number: 168964**

**TO: Abdul Manaf**  
**Location: 2 B 84**  
**Art Unit : 3635**

**Case Serial Number: 10606083**

**From: Bode Akintola**  
**Location: EIC 3600**  
**KNX 4 B 59**  
**Phone: 571-272-3514**

**Olabode.akintola@uspto.gov**

## **Search Notes**

Examiner Abdul,

Please find enclosed the results of your search request.

If you need a refocus, please feel free to contact me.

Thanks,

Bode



```

Set      Items  Description
S1        291  (PAPERBACK? OR PAPER()BACK?) (20N)STRIP? ?(20N) (EDGE? ? OR -
            END OR ABUT? ? OR ABUTTING)
S2         8   S1(15N) PLURAL?
? show file
File   8: Ei Compendex(R) 1970-2005/Oct W2
        (c) 2005 Elsevier Eng. Info. Inc.
File   9: Business & Industry(R) Jul/1994-2005/Oct 18
        (c) 2005 The Gale Group
File  15: ABI/Inform(R) 1971-2005/Oct 18
        (c) 2005 ProQuest Info&Learning
File  16: Gale Group PROMT(R) 1990-2005/Oct 18
        (c) 2005 The Gale Group
File  20: Dialog Global Reporter 1997-2005/Oct 19
        (c) 2005 Dialog
File  47: Gale Group Magazine DB(TM) 1959-2005/Oct 19
        (c) 2005 The Gale group
File  88: Gale Group Business A.R.T.S. 1976-2005/Oct 19
        (c) 2005 The Gale Group
File 112: UBM Industry News 1998-2004/Jan 27
        (c) 2004 United Business Media
File 141: Readers Guide 1983-2004/Dec
        (c) 2005 The HW Wilson Co
File 147: The Kansas City Star 1995-2003/Sep 26
        (c) 2003 Kansas City Star
File 148: Gale Group Trade & Industry DB 1976-2005/Oct 19
        (c) 2005 The Gale Group
File 149: TGG Health&Wellness DB(SM) 1976-2005/Oct W2
        (c) 2005 The Gale Group
File 160: Gale Group PROMT(R) 1972-1989
        (c) 1999 The Gale Group
File 240: PAPERCHEM 1967-2005/Oct W3
        (c) 2005 Elsevier Eng. Info. Inc.
File 248: PIRA 1975-2005/Oct W1
        (c) 2005 Pira International
File 275: Gale Group Computer DB(TM) 1983-2005/Oct 18
        (c) 2005 The Gale Group
File 324: German Patents Fulltext 1967-200541
        (c) 2005 Univentio
File 340: CLAIMS(R)/US Patent 1950-05/Oct 13
        (c) 2005 IFI/CLAIMS(R)
File 342: Derwent Patents Citation Indx 1978-05/200565
        (c) 2005 Thomson Derwent
File 347: JAPIO Nov 1976-2005/Jun(Updated 051004)
        (c) 2005 JPO & JAPIO
File 348: EUROPEAN PATENTS 1978-2005/Oct W02
        (c) 2005 European Patent Office
File 349: PCT FULLTEXT 1979-2005/UB=20051013,UT=20051006
        (c) 2005 WIPO/Univentio
File 351: Derwent WPI 1963-2005/UD,UM &UP=200566
        (c) 2005 Thomson Derwent
File 427: Fort Worth Star-Telegram 1993-2004/Feb 25
        (c) 2004 Fort Worth Papers
File 471: New York Times Fulltext 1980-2005/Oct 19
        (c) 2005 The New York Times
File 483: Newspaper Abs Daily 1986-2005/Oct 14
        (c) 2005 ProQuest Info&Learning
File 484: Periodical Abs Plustext 1986-2005/Oct W2
        (c) 2005 ProQuest
File 489: The News-Sentinel 1991-2005/Oct 17
        (c) 2005 Ft. Wayne Newspapers, Inc

```

File 553:Wilson Bus. Abs. FullText 1982-2004/Dec  
     (c) 2005 The HW Wilson Co  
 File 570:Gale Group MARS(R) 1984-2005/Oct 18  
     (c) 2005 The Gale Group  
 File 641:Rocky Mountain News Jun 1989-2005/Oct 18  
     (c) 2005 Scripps Howard News  
 File 644:(Boulder) Daily Camera 1995- 2005/Oct 17  
     (c) 2005 The Daily Camera  
 File 652:US Patents Fulltext 1971-1975  
     (c) format only 2002 Dialog  
 File 654:US Pat.Full. 1976-2005/Oct 18  
     (c) Format only 2005 Dialog  
 File 709:Richmond Times-Disp. 1989-2005/Oct 18  
     (c) 2005 Richmond Newspapers Inc  
 File 713:Atlanta J/Const. 1989-2005/Oct 16  
     (c) 2005 Atlanta Newspapers  
 File 722:Cincinnati/Kentucky Post 1990-2005/Oct 06  
     (c) 2005 The Cincinnati Post  
 File 724:(Minneapolis)Star Tribune 1989-1996/Feb 04  
     (c) 1996 Star Tribune  
 File 727:Canadian Newspapers 1990-2005/Oct 19  
     (c) 2005 Southam Inc.  
 File 732:San Francisco Exam. 1990- 2000/Nov 21  
     (c) 2000 San Francisco Examiner  
 File 734:Dayton Daily News Oct 1990- 2005/Oct 14  
     (c) 2005 Dayton Daily News  
 File 735:St. Petersburg Times 1989- 2005/Oct 16  
     (c) 2005 St. Petersburg Times  
 File 743:(New Jersey)The Record 1989-2005/Oct 18  
     (c) 2005 No.Jersey Media G Inc  
 File 757:Mirror Publications/Independent Newspapers 2000-2005/Oct 19  
     (c) 2005  
 File 781:ProQuest Newsstand 1998-2005/Oct 19  
     (c) 2005 ProQuest Info&Learning  
 File 990:NewsRoom Current Jul 1 -2005/Oct 18  
     (c) 2005 Dialog  
 File 991:NewsRoom 2005 Jan 1-2005/May 30  
     (c) 2005 Dialog  
 File 992:NewsRoom 2004 Jan 1-2004/Dec 31  
     (c) 2005 Dialog  
 File 993:NewsRoom 2003  
     (c) 2005 Dialog  
 File 994:NewsRoom 2002  
     (c) 2005 Dialog  
 File 995:NewsRoom 2001  
     (c) 2005 Dialog  
 File 996:NewsRoom 2000  
     (c) 2005 Dialog

2/3, K/1 (Item 1 from file: 340)  
DIALOG(R) File 340: CLAIMS(R)/US Patent  
(c) 2005 IFI/CLAIMS(R). All rts. reserv.

10754090 2004-0261344

**M/CONTRACTORS PROTECTION DEVICE AND METHODS OF MANUFACTURE**

Inventors: Gibney John (US)

Assignee: Unassigned Or Assigned To Individual

Assignee Code: 68000

Attorney, Agent or Firm: JENNIFER MEREDITH, 315 PARK AVENUE SOUTH, FLOOR 19  
, NEW YORK, NY, 10010, US

	Publication Number	Kind	Date	Application Number	Date
Priority Applic:	US 20040261344	A1	20041230	US 2003606083	20030625
				US 2003606083	20030625

Abstract: ...and the like, during construction and moving. According to one embodiment, the device has a **paper backing** having a front side, back side, a connecting **end** and a finishing **end**; and a **plurality of strips** each having a first **end** and a second **end**, wherein said **plurality of strips** are securely affixed to said front side in a parallel fashion with said first **end** **abutting** said finishing **end**. And there may be an adhesive along the connecting end that allows the device to ...

Exemplary Claim:

...N G

1. A flexible, yet sturdy device for protecting construction, said device comprising: a **paper backing** having a front side, back side, a connecting **end** and a finishing **end**; a **plurality of strips** each having a first **end** and a second **end**, wherein said **plurality of strips** are securely affixed to said front side in a parallel fashion with said first **end** **abutting** said finishing **end**.

Non-exemplary Claims:

...12. A flexible, yet sturdy device for protecting construction, said device comprising: a **paper backing** having a front side, back side, a connecting **end** and a finishing **end**; an adhesive applied to said connecting **end**; a **plurality of strips** each having a first **end** and a second **end**, wherein said **plurality of strips** are securely affixed to said front side in a parallel fashion with said first **end** **abutting** said finishing end and said second end of said **plurality of strips** is between one and six inches from said connecting end...

...21. A flexible, yet sturdy device for protecting construction, said device comprising: a **paper backing** having a front side, back side, a connecting **end** and a finishing **end**; an adhesive applied to said connecting **end**; a **plurality of strips** being between one foot and eight feet long, (fraction (1/16)) inch and 3 inches wide and between (fraction (1/16)) inch and 1 inch thick, each having a first **end** and a second **end**, wherein said **plurality of strips** are securely affixed to said front side in a parallel fashion with said first **end** **abutting** said finishing **end** and said second **end** of said **plurality of strips** is between one and six inches from said connecting **end** and the width of said **paper backing** is slightly larger than the length of said **strips**.

...

...29. A flexible, yet sturdy device for protecting construction, said device comprising: a **paper backing** having a front side, back side, a first connecting **end** and second connecting **end** ; an adhesive applied to said first connecting **end** ; an adhesive applied to said second connecting **end** ; a **plurality of strips** being between one foot and eight feet long, (fraction (1/16)) inch and 3 inches wide and between (fraction (1/16)) inch and 1 inch thick, each having a first **end** and a second **end** , wherein said **plurality of strips** are securely affixed to said front side in a parallel fashion wherein said first **end** of said **plurality of strips** is between one and six inches from said first connecting **end** and said second **end** of said **plurality of strips** is between one and six inches from said second connecting **end** and the width of said **paper backing** is larger than the length of said **strips** .

...

...device for protecting furniture, millwork, finished work, said method comprising the steps of: providing a **paper backing** wherein said **paper backing** has a front side, back side, connecting **end** and finishing **end** ; affixing a plurality of **strips** to said **paper backing** , said **plurality of strips** being parallel to each other and perpendicular to said connecting **end** and said finishing **end** and at least one inch from said connecting **end** ; and applying an adhesive material to said connecting **end** of said **paper backing** .

2/3,K/2 (Item 2 from file: 340)  
 DIALOG(R) File 340:CLAIMS(R)/US Patent  
 (c) 2005 IFI/CLAIMS(R). All rts. reserv.

2537611 3482628  
**M/REMOVABLE BOOK MARKER STRIP**  
 Inventors: Boyette Gladys D (US)  
 Assignee: Unassigned Or Assigned To Individual  
 Assignee Code: 68000  
 Attorney, Agent or Firm: Longacre & White

	Publication Number	Kind Date	Application Number	Date
	US RE34759	E1 19941018	US 9340973	19930331
Reissue of:	US 4577890	19860325	US 84591119	19840319
Priority Applic:			US 9340973	19930331
			US 84591119	19840319

CERTIFICATE OF CORRECTION: 19941206

Exemplary Claim:

...book (secured to the binding and) , said protective cover overlying (both) opposite sides of the **plurality of pages** and said spine **edges** , the (outer **edges** of the **paper back** covers being turned inwardly, and) protective cover having perforations along (the inturned portions) a fore **edge** of the protective cover (whereby) demarcating a narrow **strip** which may be detached from (each side of the inturned portions) the protective cover fore **edge** and used as a book marker; said protective cover is folded along said perforations with...

2/3,K/3 (Item 3 from file: 340)  
 DIALOG(R) File 340:CLAIMS(R)/US Patent

(c) 2005 IFI/CLAIMS(R). All rts. reserv.

1661213 2612973

**M/REMOVABLE BOOK MARKER STRIP**

Inventors: BOYETT GLADYS D (US)

Assignee: UNASSIGNED OR ASSIGNED TO INDIVIDUAL

Assignee Code: 68000

Attorney, Agent or Firm: Wilson, Alfred E

Publication Number	Kind	Date	Application Number	Date
US 4577890	A	19860325	US 84591119	19840319
(Cited in 003 later patents)				
Priority Applic:			US 84591119	19840319
Calculated Expiration: 20040319				
Legal Status: REISSUE REQUESTED				
(See File 123 for legal status details)				

**Non-exemplary Claims:**

...4. In a book of the paper back type having a plurality of pages, a binding securing the edges of the pages together, a paper back cover of heavier material than the pages of the book secured to the binding and overlying both sides of the plurality of pages, the outer edges of the paper back covers being turned inwardly, and perforations along the inturned portions of the cover whereby a narrow strip may be detached from each side of the inturned portions and used as a book...

2/3,K/4 (Item 4 from file: 340)

DIALOG(R) File 340:CLAIMS(R)/US Patent

(c) 2005 IFI/CLAIMS(R). All rts. reserv.

1260571 8008292 2020319

**CM/EARTHEN TANK AND LINER; POLYESTER-IMPREGNATED GLASS FIBERS**

Inventors: JARRELL HAL K (US)

Assignee: UNASSIGNED OR ASSIGNED TO INDIVIDUAL

Assignee Code: 68000

Attorney, Agent or Firm: Bates, Marcus L

Publication Number	Kind	Date	Application Number	Date
US 4207017	A	19800610	US 78916935	19780619
(Cited in 012 later patents)				
Continuation of:		US 4125983	US 77808032	19770620
Priority Applic:			US 78916935	19780619
			US 77808032	19770620
Calculated Expiration: 19970620				

**Exemplary Claim:**

...THAT AN OVERBURDEN OF EARTHEN MATERIAL CAN BE PLACED THEREON TO THEREBY PROTECT THE PERIPHERAL EDGES OF THE MEMBRANE AND ALSO ANCHOR THE SIDES OF THE MEMBRANE RESPECTIVE TO THE EARTH...  
...BEING MADE FROM A MULTIPLICITY OF PANELS OF POLYESTER RESIN IMPREGNATED FIBERGLASS MATERIAL HAVING A PAPER BACKING BONDED THERETO BY SAID RESIN; SAID PANELS BEING ARRANGED PARALLEL TO ONE ANOTHER WITH ADJACENT MARGINAL, LONGITUDINAL EDGES THEREOF BEING OVERLAPPED STAPLED, AND BONDED TOGETHER BY A STRIP OF FIBERGLASS MATERIAL IMPREGNATED WITH POLYESTER RESIN; EACH OF SAID MULTIPLICITY OF PANELS BEING MADE OF A

**PLURALITY** OF SHEETS OF FIBERGLASS MATERIAL BONDED TO SAID **PAPER BACKING** WITH SAID POLYESTER RESIN, ADJACENT ONES OF SAID SHEETS OF FIBERGLASS MATERIAL BEING ARRANGED TO **ABUT** ONE ANOTHER; SAID SHEETS OF FIBERGLASS MATERIAL ARE BONDED TOGETHER BY A **STRIP** OF FIBERGLASS CLOTH IMPREGNATED WITH POLYESTER RESIN AND BEING SUPERIMPOSED OVER ADJACENT MARGINAL **ABUTTING** **EDGES** OF SAID SHEETS OF BONDED FIBERGLASS CLOTH TO PROVIDE AN ELONGATED PANEL OF LINER MATERIAL...

2/3,K/5 (Item 5 from file: 340)  
 DIALOG(R)File 340:CLAIMS(R)/US Patent  
 (c) 2005 IFI/CLAIMS(R). All rts. reserv.

0062321 5802821

**C/RECORD STRIP SHEETS**

Inventors: ANDERSON GEORGE (N/A); DEINLEIN VICTOR E (N/A)

Assignee: ACME VISIBLE RECORDS, INC

Assignee Code: 00456

Publication Number	Kind	Date	Application Number	Date
US 2832712	A	19580429	US 55526730	19550805
(Cited in 009 later patents)				
Priority Applic:			US 55526730	19550805
Calculated Expiration: 19750429				

**Exemplary Claim:**

...AND SCORED ONLY THROUGH THE FACING PAPER AND WOOD BODY PORTION TRANSVERSELY TO DEFINE A **PLURALITY** OF ELONGATED RELATIVELY NARROW **STRIPS** , SAID SCORING NOT EXTENDING INTO THE BACKING, AND LONGITUDINALLY TO DEFINE MARGINAL PORTIONS AT THE OPPOSED SIDE **EDGES** OF SAID SHEET, AND LONGITUDINALLY EXTENDING FLEXIBLE REINFORCING **STRIPS** SECURED TO THE **PAPER BACKING** ON BOTH SIDES AND OVERLYING SAID DEFINED **EDGE** PORTIONS, SAID DEFINED **EDGE** PORTIONS BEING FORMED WITH A SPACED SERIES OF APERTURES EXTENDING THROUGH THE ENTIRE THICKNESS OF THE INDEX **STRIP**

2/3,K/6 (Item 1 from file: 654)  
 DIALOG(R)File 654:US Pat.Full.  
 (c) Format only 2005 Dialog. All rts. reserv.

0005927275 \*\*IMAGE Available

Derwent Accession: 2005-038853

**Contractors protection device and methods of manufacture**

Inventor: Gibney, John, INV

Correspondence Address: JENNIFER MEREDITH, 315 PARK AVENUE SOUTH FLOOR 19,  
 NEW YORK, NY, 10010, US

	Publication Number	Kind	Date	Application Number	Filing Date
Main Patent	US 20040261344	A1	20041230	US 2003606083	20030625

Fulltext Word Count: 5328

**Abstract:**

...and the like, during construction and moving. According to one

embodiment, the device has a **paper backing** having a front side, back side, a connecting end and a finishing end ; and a **plurality of strips** each having a first end and a second end , wherein said **plurality of strips** are securely affixed to said front side in a parallel fashion with said first end **abutting** said finishing end . And there may be an adhesive along the connecting end that allows the device to...

Summary of the Invention:

...the present invention, a flexible, yet sturdy device for protecting construction is disclosed comprising: a **paper backing** having a front side, back side, a connecting end and a finishing end ; a **plurality of strips** each having a first end and a second end , wherein the **plurality of strips** are securely affixed to the front side in a parallel fashion with the first end **abutting** the finishing end .

[...]

...embodiment, a flexible, yet sturdy device for protecting construction is disclosed, the device comprising: a **paper backing** having a front side, back side, a connecting end and a finishing end ; an adhesive applied to the connecting end ; a **plurality of strips** each having a first end and a second end , wherein the **plurality of strips** are securely affixed to the front side in a parallel fashion with the first end **abutting** the finishing end and the second end of the **plurality of strips** being between one and six inches from the connecting end...

...embodiment, a flexible, yet sturdy device for protecting construction is disclosed, the device comprising: a **paper backing** having a front side, back side, a connecting end and a finishing end ; an adhesive applied to said connecting end ; a **plurality of strips** being between one foot and eight feet long, between {fraction (1/16)} inch and 1 inch thick, each having a first end and a second end and being securely affixed to the front side in a parallel fashion with the first end **abutting** the finishing end and the second end of the **plurality of strips** being between one and six inches from the connecting end and the width of the **paper backing** being slightly larger than the length of the **strips** .

[...]

...embodiment, a flexible, yet sturdy device for protecting construction is disclosed, the device comprising: a **paper backing** having a front side, back side, a first connecting end and second connecting end ; an adhesive applied to the first connecting end ; an adhesive applied to the second connecting end ; a **plurality of strips** being between one foot and eight feet long, {fraction (1/16)} inch and 3 inches wide and between {fraction (1/16)} inch and 1 inch thick, each having a first end and a second end , wherein the **plurality of strips** are securely affixed to the front side in a parallel fashion and wherein the first end of the **plurality of strips** is between one and six inches from the first connecting end and the second end of said **plurality of strips** is between one and six inches from the second connecting end and the width of the **paper backing** is larger than the length of the **strips** .

[...]

...protecting furniture, millwork, finished work and flooring, the method

comprising the steps of: providing a **paper backing** wherein said **paper backing** has a front side, back side, connecting end and finishing end; affixing a plurality of **strips** to said **paper backing**, said plurality of **strips** being parallel to each other and perpendicular to said connecting end and said finishing end and at least one inch from said connecting end; and applying an adhesive material to said connecting end of said **paper backing**.

[

Description of the Invention:

...anyone who wants to protect items, furniture and the like. As shown, there is a **paper backing** 12 having a front side 14, back side 16, a connecting end 18 and a finishing end 20; a plurality of **strips** 22 each having a first end 24 and a second end 26, wherein said plurality of **strips** are securely affixed to the front side 14 in a parallel fashion with the first end 24 abuts the finishing end 20. According to a preferred embodiment, there is an adhesive 28 applied...

...and between {fraction (1/16)} inch and 1 inch thick 70, each having a first end 72 and a second end 74, wherein the plurality of strips are securely affixed to the front side 54 in a parallel fashion and wherein the first end 72 of the plurality of strips is between one and six inches 76 from the first connecting end 56 and the second end 74 of the plurality of strips is between one and six inches from the second connecting end 58 and the width of the **paper backing** is larger than the length of the strips.

[...

...protecting furniture, millwork, finished work, the method comprising the steps of: step 100 providing a **paper backing** wherein said **paper backing** has a front side, back side, connecting end and finishing end; step 102 affixing a plurality of **strips** to said **paper backing**, said plurality of **strips** being parallel to each other and perpendicular to said connecting end and said finishing end...

...inch from said connecting end; step 103 is optional and may be evenly spacing said **strips** at a distance between one and four inches from another; step 104 applying an adhesive material to said connecting end of said **paper backing**; step 106 rolling said device so as to provide said plurality of **strips** upright with front side, said connecting end and said finishing end being visible; step 108 attaching adhesive **strips** to said back side of said **paper backing**.

[

Exemplary or Independent Claim(s):

1. A flexible, yet sturdy device for protecting construction, said device comprising: a **paper backing** having a front side, back side, a connecting end and a finishing end; a plurality of **strips** each having a first end and a second end, wherein said plurality of **strips** are securely affixed to said front side in a parallel fashion with said first end abutting said finishing end

....

- ...12. A flexible, yet sturdy device for protecting construction, said device comprising: a **paper backing** having a front side, back side, a connecting end and a finishing end; an adhesive applied



to said connecting end ; a plurality of strips each having a first end and a second end , wherein said plurality of strips are securely affixed to said front side in a parallel fashion with said first end abutting said finishing end and said second end of said plurality of strips is between one and six inches from said connecting end...

...21. A flexible, yet sturdy device for protecting construction, said device comprising: a paper backing having a front side, back side, a connecting end and a finishing end ; an adhesive applied to said connecting end ; a plurality of strips being between one foot and eight feet long, {fraction (1/16)} inch and 3 inches wide and between {fraction (1/16)} inch and 1 inch thick, each having a first end and a second end , wherein said plurality of strips are securely affixed to said front side in a parallel fashion with said first end abutting said finishing end and said second end of said plurality of strips is between one and six inches from said connecting end and the width of said paper backing is slightly larger than the length of said strips .

...29. A flexible, yet sturdy device for protecting construction, said device comprising: a paper backing having a front side, back side, a first connecting end and second connecting end ; an adhesive applied to said first connecting end ; an adhesive applied to said second connecting end ; a plurality of strips being between one foot and eight feet long, {fraction (1/16)} inch and 3 inches wide and between {fraction (1/16)} inch and 1 inch thick, each having a first end and a second end , wherein said plurality of strips are securely affixed to said front side in a parallel fashion wherein said first end of said plurality of strips is between one and six inches from said first connecting end and said second end of said plurality of strips is between one and six inches from said second connecting end and the width of said paper backing is larger than the length of said strips .

...device for protecting furniture, millwork, finished work, said method comprising the steps of: providing a paper backing wherein said paper backing has a front side, back side, connecting end and finishing end ; affixing a plurality of strips to said paper backing , said plurality of strips being parallel to each other and perpendicular to said connecting end and said finishing end and at least one inch from said connecting end ; and applying an adhesive material to said connecting end of said paper backing .

2/3,K/7 (Item 2 from file: 654)  
DIALOG(R) File 654:US Pat.Full.  
(c) Format only 2005 Dialog. All rts. reserv.

3543612 \*\*IMAGE Available  
Derwent Accession: 1986-100084  
Reissue

M/ Removable book marker strip

Inventor: Boyette, Gladys D., 3300 N. Key Dr., Unit 8-W, North Fort Myers,  
FL, 33903

Assignee: Unassigned

Unassigned Or Assigned To Individual (Code: 68000)

Examiner: Bell, Paul A. (Art Unit: 326)

Law Firm: Longacre & White

	Publication Number	Kind	Date	Application Number	Filing Date
Main Patent	US RE34759	E	19941018	US 9340973	19930331
1st Reissue	US 4577890	A	19860325	US 84591119	19840319

Fulltext Word Count: 1631

Non-exemplary or Dependent Claim(s):

...marker **strip** is positioned along the other **edge** of the dust shield.] 4. [In a book of the **paper back** type] *A soft-back book having a plurality of pages, a binding securing [the] spine edges of the pages together[,] with a [paper back] protective...*

...pages of the book [secured to the binding and] *, said protective cover [overlying [both] sides of the plurality of pages and said spine edges], the [outer edges of the paper back covers being turned inwardly, and] protective cover having [perforations along [the inturned portions] a fore edge of the protective cover [whereby] demarcating a narrow strip which may be detached from [each side of the inturned portions...*

2/3,K/8 (Item 3 from file: 654)

DIALOG(R) File 654:US Pat.Full.

(c) Format only 2005 Dialog. All rts. reserv.

2693016 \*\*IMAGE Available

Derwent Accession: 1986-100084

LitAlert Accession: P1994-46-07; P1994-46-08; P1994-46-09; P1994-46-10; P1995-49-10; P1995-49-11; P1995-49-12 \*\*See File 670 for Litigation

Utility

REISSUE REQUESTED \*\*See File 123 for details

M/ Removable book marker strip

Inventor: Boyett, Gladys D., 1418 Argyle Dr., Fort Myers, FL, 33907

Assignee: Unassigned

UNASSIGNED OR ASSIGNED TO INDIVIDUAL (Code: 68000)

Examiner: Bell, Paul A. (Art Unit: 327)

Assistant Examiner: Heyrana, Paul M.

Combined Principal Attorneys: Wilson, Alfred E.

	Publication Number	Kind	Date	Application Number	Filing Date
Main Patent	US 4577890	A	19860325	US 84591119	19840319

Fulltext Word Count: 1112

Non-exemplary or Dependent Claim(s):

...4. In a book of the paper back type having a plurality of pages, a binding securing the **edges** of the pages together, a paper back

cover of heavier material than the pages of the book secured to the binding and overlying both sides of the plurality of pages, the outer edges of the paper back covers being turned inwardly, and perforations along the inturned portions of the cover whereby a narrow strip may be detached from each side of the inturned portions and used as a book...

?